

# **Canada Takes Flight**

By: Caitlin Davey Duration: 120 minutes

#### LEVEL

Grades 4-6

Science and Technology, Social Sciences

SUBJECTS

Across Canada

**PROVINCES / TERRITORIES** 

**TOOL** Scratch

## Overview

In this lesson, learners will create a game that tells the story of Bill Boeing and Eddie Hubbard's first international flight to deliver mail from Seattle to Vancouver, Canada. Learners will explore several Scratch techniques as they reflect on the history of flight technologies in Canada.

#### Prep Work

- Review the completed version of the project: <u>bit.ly/canada-takes-flight-example</u>
- Watch this video about Bill Boeing and how a little Seattle company began to change the aeroplane industry through their innovations: <u>http://www.boeing.com/history/video-series/ind</u> <u>ex.page#/video\_series/one-great-idea</u>
- Review the four forces of flight: lift, weight, drag, and thrust
- Print the solution sheet: <u>bit.ly/canada-takes-flight-solution</u>

## **Key Coding Concepts**

- Algorithms
- Conditional Statements
- Events
- Loops
- Parallel Execution
- 🕗 🛛 Random Numbers
- Sequences
- > Variables

## Terminology

#### Algorithms

A step-by-step set of operations to be performed to help solve a problem

#### **Conditional Statements**

Making decisions based on conditions i.e. if some condition

#### Lesson



#### Introduction

From canvas and wood to materials for space, Boeing has continued to invent and engineer ways to extend human abilities. Programming, engineering, and mechanics are all ways that we can extend our abilities and make the impossible possible.

The first international airmail was delivered by Boeing in a flight from Seattle to Canada in May 1919. Throughout the 1920s, Boeing played a significant role in expanding the airline industry through developing multiple airplane models including fighter planes, transports, and more.

After a hundred years of flight Boeing continues to innovate the aerospace industry. Boeing is now looking towards the sky to take people not only all across planet Earth but maybe to new planets as well!

Discover more at Boeing's History Page: <u>http://www.boeing.ca/boeing-in-canada/history.page</u>

#### **Code Along**

- Open up a new Scratch project at <u>scratch.mit.edu</u> and click on "create" (top, left corner).
- Point out the main elements: Stage, Sprites, and Scripts. Demonstrate how to drag and connect blocks.
- Give learners a few minutes to click on blocks and explore.
- Go through 1-2 challenges with the group, where learners are tasked with trying to make

is met do something, else do nothing or something else

#### Events

One thing causing another thing to happen i.e. 'when clicked' block

#### Loops

Running the same sequence multiple times i.e. repeat or forever blocks

#### **Parallel Execution**

Making things happen at the same time

#### Sequence

Identifying a series of steps for a task. Computers and Scratch read and perform commands in order from top to bottom

#### Variable

Stores a piece of information i.e. score of a game that increase by 1 value for each goal

### **Curricular Connections**

The use of flight technologies has substantial effects on both society and the environment. In order to understand the principles of flight, learners must first learn about the properties of air that make flight possible.

Assess the benefits and costs of aviation technology for society and the environment, taking different social and economic perspectives into account something happen in Scratch. For example, "Try to make Scratch move" or "Try to make Scratch say something when the space key is pressed" (See the Code-Along Challenges doc (<u>bit.ly/scratch-challenge-solutions-doc</u>) for more examples and solutions)

Use a variety of forms (e.g., oral, written, graphic, multimedia) to communicate with different audiences and for a variety of purposes

#### Activity

In this game, you'll be on board with William Boeing and Eddie Hubbard on the flight to deliver the first international airmail.

Show the **example project** (<u>bit.ly/canada-takes-flight-example</u>) so learners know what they are working towards. Ask them what they see/hear - what is happening in this project?

Open the **starter project** (<u>bit.ly/canada-takes-flight-starter</u>) and review the Sprites and backgrounds.

Have learners open the starter project on their screens and click "REMIX." (The remix button will only be visible once they are signed into their accounts.)

Use the **solution sheet** (<u>bit.ly/canada-takes-flight-solution</u>) to guide learners through the following steps:

- Make the Plane Move
- Add Other Directions
- Collect Mail
- Wind/Gravity Effect
- Flying to Seattle
- Win Condition

Now you're ready for takeoff! Give the game a whirl.

#### Assessment

#### **Learning Outcomes**

I can create algorithms in Scratch

I can use conditionals to control what happens in my project

I can use loops to make things happen more than once I can use events to control when things happen in my project

#### Success Criteria

I remixed the starter project and renamed it with my first name. My sprite moves in all four directions (up, down, right, left). I can control my game using keys on my keyboard. I used broadcast messages to communicate between elements in my game. My game has a Win condition.

#### Assessment Ideas

Use Comments in Scratch to have learners explain their steps (right click > add comment).

#### Extensions

- Can learners find a way to keep score within their game?
- Use the backdrops tab to draw a map of your neighbourhood and set it as the background for a new level.
- Have learners create a success screen that describes this historic flight.
- Identify how the four forces of flight are incorporated within our code (weight, lift, thrust, drag).

## Canada Takes Flight

## STEP 1: Open the Starter Project

- 1. Sign in to Scratch
- 2. Open the starter project: http://bit.ly/canada-takes-flight-starter
- 3. Remix the project & change the project name

<u>6000</u>	🏽 🌐 <b>-</b> File Edit 🔅 Tutor	tais 🛞	Boeing Canada by teacherslearnin	Takes Filg gcode	6 Remix	5 See Project Page	a	ticeducatoraccount 🗸
Con	de Costumes () Sounds					<b>N</b>	•	
Motion	Motion						Total .	
Looks	move 10 steps					a a a a		x 8
Sound	tum (* 15 degrees							λ. Ν.
Events	tum 🗂 15 degrees							. CANADA
Control	go to random position +					x = x - x - x		ITED STATES
Sensing	go to x: 18 y: 19					1		ITED STATES
Operators	glide 1 secs to random position -						A LATA	
Variables	glide 1 secs to x: 18 y: 19					a a a a	10 1 1 1	
My Blocks						Sprit	ite Airplane $\leftrightarrow$ x 18	\$ y 19 Stage
	point in direction 90					(Q) Show	w 🧿 Ø Size 65 Dire	tion 90
	point towards mouse-pointer •							Backdrops
<b>s</b> *	change x by 10						implane mail marker Button	3
		B	ackpack					

\*Starter project has 3 backdrops, 4 sprites, and starter code for the bouncing ball

## STEP 2: Make the Plane Move

- 1. Explain how the X,Y axis works (Stretch & Scuttle!) https://www.canadalearningcode.ca/lessons/stretch-and-scuttle/
- 2. Make the plane move right (along x axis)
- 3. Make this happen when the green flag is clicked
- 4. Make this happen forever
- 5. Make this happen if the right arrow key is pressed



Solution Sheet created for <u>Canada Learning Code</u> More info on Scratch (by MIT Media Lab): <u>scratch.mit.edu</u>

## STEP 3: Adding Other Directions

- 1. Duplicate the IF statement make the plane move left if the left arrow key is pressed
- 2. Duplicate again make the plan move up (along the y axis) if the up arrow key is pressed
- 3. Duplicate one last time make the plan move down if the down arrow key is pressed
- 4. Make the plane go back to the top by adding 'go to x,y' (move the plane to the starting point, then drag the block over)

when 🍽 c	licked							
when Po c	III. Keta	_						
go to x: -2	17) y: 14	49						
forever								
	y right a	mow +	pre	ISSO	17	then		
change	x by 5		×.	÷	ed? then 1			
							1	
# 📢	ey left am	ow 👻	pres	essed? then 1 ssed? then 2				
change	x by -5		25	11	2			
							2	
11 🔍	ey up arro	w • )	pres	sed?	<u></u> *	80	-	
change	y by 💿	1						
							3	
H 📢	ey down a	arrow •	• P	10550	d? )	then	3	
change	y by -5							
							1	
	و		- 51	1		1	1	

## STEP 4: Collecting Mail

- 1. Create a new broadcast message called "mail" to communicate with the mail sprite
- 2. Make the plane broadcast this message if touching the mail
- 3. Put this in the forever loop so the program always checks if they are touching
- 4. Play a sound before broadcasting

change y by -5	
if touching mail • ? then	
start sound pop -	
broadcast mailt -	

- 1. Select the mail sprite
- 2. Make it go to a random position
- 3. Make this happen when it receives "mail"



## STEP 5: Wind/Gravity Effect

- 1. Select the plane sprite
- 2. Make the plane look like it's falling make it move down (y axis)
- 3. Make the plane look like it's flying forwards make it move to the right (x axis)
- 4. Make this happen forever, when the green flag is clicked
- 5. Make it wait for a short amount of time before looping (to add a choppy effect)

	when 🏴 clicked
	forever
	change x by 5
	change y by -5
	wait 0.05 seconds
Airplane	•

Solution Sheet created for <u>Canada Learning Code</u> More info on Scratch (by MIT Media Lab): <u>scratch.mit.edu</u>

## STEP 6: Flying to Seattle

- 1. Make a new broadcast message called "seattle" to communicate with the other sprites, and tell them when to switch to the next screen
- 2. Make the plane broadcast this message when it is touching the dark green colour on the right edge
- 3. Be sure to click on the colour square and then select the dark green by clicking on that area of the backdrop in the stage (the mouse pointed will look like a glove until you select a colour)

If touching mail -	? then	
start sound pop -		
broadcast mailt -		
If touching color	2 then	
broadcast seattle -		
	start sound pop • broadcast mail •	start sound pop • broadcast maill •

- 1. Select the Stage
- 2. Make the backdrop switch to seattle when it receives the "seattle" message
- 3. Make the backdrop switch back to vancouver when the green flag is clicked



- 1. Make the mail sprite hide when seattle is broadcast
- 2. Make the mail show again when the green flag is clicked

	when 💌 click	ed		
	show			
	-	1. A	$\mathbf{x} = \mathbf{x}$	-
	when backdrop	switches to		•
	hide	20 X	2 - 2 - 2	2
mail				

## STEP 7: Win Condition

- 1. Select the marker sprite
- 2. Make the marker show when it receives the "seattle" message
- 3. Make the marker hide again when the green flag is clicked

	1	-	1					
	when	🏓 cli	cked	9				
	hide		- 24					
	when b	ackdro	op swi	itches	s to	seatt		
marker	show		3	28	24	4	9	

- 1. Select the airplane
- 2. If the plane is touching the marker, make it do something E.g. say "You made it!"
- 3. Then, make it stop all of the scripts (end the game)
- 4. Make this happen when the plane receives "seattle"
- 5. Add a forever loop, so the program always checks for this (Test it out!)
- 6. To make the plane stop doing everything else (besides this script) add a "stop other scripts in sprite" before the 'say' block
- 7. Make the plane reset to the top using "go to x,y"

	when backdrop	switches to	seattle	
	go to x: -217		7	4
	forever	5		_
	i touch	ing marker	- 2	then 1
	stop other	r scripts in sp	orite -	6
	start sound	pop +	2	
	stop all •	3		
Airplane		و		

## ADD-ON: Opening Screen

- 1. Select the Start button
- 2. Make the button show when the green flag is clicked
- 3. Make the button hide when it is clicked
- 4. Make it broadcast a new message called 'vancouver' before hiding

	when	clicke	d	when this s	prite cli	cked	
	show	- 13		broadcast	vanco	uver 1	
START				hide	a		
Button3							

- 1. Make the game wait until the button is clicked to start (instead of the green flag): Replace all of the existing "when green flag clicked" scripts with "when I receive vancouver" scripts for the airplane and mail
- 2. Make the airplane hide when the green flag is clicked, then show when it receives the 'vancouver' message
- 3. Make the mail hide when the green flag is clicked



Solution Sheet created for <u>Canada Learning Code</u> More info on Scratch (by MIT Media Lab): <u>scratch.mit.edu</u>



- 1. Select the Stage
- 2. Make the game begin with the 'start-screen' backdrop
- 3. Make it switch to the Vancouver backdrop when it receives 'vancouver'

	when 🔁 clicked
	switch backdrop to start-screen -
	and the second second
	when I receive seattle -
	switch backdrop to seattle -
Stage	
	when I receive vancouver +
13	switch backdrop to vancouver -
Backdrops	

## ADD-ON: Timer

- 1. Make a new variable called 'timer'
- 2. Make the timer increase by 1
- 3. Make this happen forever, once 'vancouver' has been received
- 4. Make the timer wait 1 second before increasing

Solution Sheet created for <u>Canada Learning Code</u> More info on Scratch (by MIT Media Lab): <u>scratch.mit.edu</u>

- 5. Make the timer reset to 0 when vancouver is received (aka button is clicked)
- 6. Make the airplane say the time when it reaches the marker

Varia	ables							
	Make a Variable							
	Make a List							
d My I	Blocks							
5	Make a Block			New Va	riable		×	
ol			New va	riable name:				
9							-	
0/8			This va	ariable will be a	ailable to	all sprites.	2	
es					Cancel	ок		
okes								
			10 1.5 D	a n a		01 - 15		
			en en sen l'anne en	- 1 - I				
	whe	n backdrop switcl	hes to seattle	2				
		o x: -217 y: -	149					
	go t	5 A211 J.						
						5 8	82	ð
	fore	ver			hen I rec	-	ancouv	
		ver	marker • ?	then		etve va	ancouv	
	fore	ver touching	marker • ?			-	ancouv	
	tore	ver touching stop other scrip	ots in sprite +	then		etve va	ancouv	
	1000	ver touching stop other scrip say timer for	ots in sprite +	then si	t tim	eive vi er <del>+</del> to	encouve o 0	
	1000	ver touching stop other scrip	ots in sprite +	then si	nt time rever change	elve va er - ta timer -	encouve o 0 - by	
	1000	ver touching stop other scrip say timer for	ots in sprite +	then si	t tim	elve va er - ta timer	encouve o 0 - by	

## Additional Extension Ideas

- Edit the plane sprite costume or replace it with another sprite to change the story
- Use variables to keep track of the score (e.g. amount of mail collected)
- Use maps to draw a map of your neighbourhood and the looks block 'broadcast' to create new levels!
- Have students create a success screen that describes this historic flight.

See extended example for possible solutions: <u>https://scratch.mit.edu/projects/160217740/</u>